Attorney's Docket No.:18202-020001/1088

OFFICIAL COMMUNICATION FACSIMILE: OFFICIAL FAX NO: (571) 270-9945

Number of pages including this page 11

Applicant: Lin Zhi et al.

in Zhi et al. Art Unit : 1625

Serial No.: 10/684,229 Examiner: Charanjit Aulakh

Filed : October 10, 2003 Patent No. : 7,071,205 Cust. No. : 20985 Issue Date : July 4, 2006

Title

: 5-Cycloalkenyl 5H-Chromeno[3,4-f]Quinoline Derivatives as Selective

Progesterone Receptor Modulator Compounds

Ms. Michelle Williams

Certificate of Corrections Branch P.O. Box 1450 Alexandria, VA 22313-1450

Dear Ms, Williams:

Further to our telephone conversation on 8 February 2007, a hand-corrected version of the Certificate of Correction for the above captioned patent is attached. Please note the errors introduced by the PTO on the following pages:

On page 1, in the definition of R¹, please replace "CO₂R¹¹, CO₂R¹¹" with -COR¹¹, CO₂R¹¹-

On page 8, in compound 73, please replace "eyclopentenyl" with -cyclopentenyl-

On page 9, in compound 85, please replace "diffuoro" with -diffuoro-

On page 9, in compound 87, please replace "cyclohexyl" with -cyclohexyl-

Patentee respectfully requests correction of these errors.

Respectionly Submit

Date: February 8, 2007

Nathanael R. Luman

Scientific Advisor to Stephanic Scidman Reg. No. 33,779

Fish & Richardson P.C. 12390 El Camino Real San Diego, California 92130 Telephone: (858) 678-4715 Fax: (858) 678-5099 email: luman@fr.com

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at (858) 678-5070 to arrange for its return. Thank you.

PATENT NO.

: 7,071,205 B2

Page 1 of 10

APPLICATION NO.: 10/684229 DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi ct al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

IN THE TITLE PAGES:

In Item [56] References Cited, in U.S. PATENT DOCUMENTS: please add the following reference: --6,001,846 A 12/1999 Edwards et al. 514/285-in 6,566,358 please replace "Zhi et al." with -Zhang et a1.in 6,566,372 please replace "West et al." with --Zhi et al.--


In Item [56] References Cited, in OTHER PUBLICATIONS: in Hamann et al., please replace "dihyrdo" with -dihydro-

At column 8, Table A, row R¹, please replace "C₁-C haloalkyl" with --C₁-C₄ haloalkyl--at column 9, Table A, row R⁹, please replace "CONR^HR¹²" with --CONR^HR¹²-at column 11, Table A, below row R16, please replace "R15" with --R16-

Please replace Claims 12, 13, 14, and 15 with the following Claims:

Col. 40

12. A compound of the formula:



(II)

wherein:

 R^{i} is selected from the group of hydrogen, C_{1} – C_{4} alkyl, C_{1} – C_{4} haloalkyl, C_{1} – C_{4} heteroalkyl, $CO_{2}R^{11}$, $CO_{2}R^{11}$, $SO_{2}R^{11}$, and $CONR^{11}R^{12}$;

R2 and R3 each independently is selected from the group of hydrogen, C1-C6 alkyl, and C₁-C₆ haloalkyl; or

R² and R³ taken together form a cycloalkyl ring of from three to twelve carbons;

R4 through R7 each independently is selected from the group of hydrogen, F, C1, Br, CN, OR11, C1-C4 alkyl, C1-C4 haloalkyl, and C1-C4 heteroalkyl; or

R⁵ and R⁷ taken together form a bond; or

R⁶ and R⁷ taken together are selected from the group of methylidene, mono-substituted methylidene, di-substituted methylidene and carbonyl;

PATENT NO.

: 7,071,205 B2

Page 2 of 10

APPLICATION NO. : 10/684229 DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

 R^8 through R^{10} each independently is selected from the group of hydrogen, F, Cl, Br, I, NO₂, CN, OR¹¹, NR¹¹R¹², SR¹¹, COR¹¹, CO₂R¹¹, CONR¹¹R¹², C₁-C₈ alkyl, C₁-C₈ heteroalkyl, C₁-C₈ haloalkyl, allyl, C₂-C₈ alkenyl and C₂-C₈ alkynyl; R¹¹ and R¹² each is independently selected from the group of hydrogen, C₁-C₄ alkyl,

C1-C4 heteroalkyl, and C1-C4 haloalkyl;

R¹³ is hydrogen;

R¹⁴ and R¹⁶ taken together form a bond or "-O-" bridge;
R¹⁵, R¹⁷, R¹⁸, R¹⁹, R²⁰ each independently is selected from the group of hydrogen, F, Cl, C₁-C₄ alkyl, and C₁-C₄ haloalkyl;

R21 is hydrogen; and

n is 0, 1, 2, or 3;

or a pharmaceutically acceptable salt thereof.

Col. 41

13. A compound of the formula:

PATENT NO.

: 7.071,205 B2

Page 3 of 10

APPLICATION NO.: 10/684229

DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi ct al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

wherein:

R¹ is selected from the group of hydrogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ heteroalkyl, COR11, CO2R11, SO2R11, and CONR11R12;

R² and R³ each independently is selected from the group of hydrogen, C₁-C₆ alkyl, and C1-C6 haloalkyl; or

R² and R³ taken together form a cycloalkyl ring of from three to twelve carbons;

R4 through R7 each independently is selected from the group of hydrogen, F, Cl, Br, CN, OR11, C1-C4 alkyl, C1-C4 haloalkyl, and C1-C4 heteroalkyl; or

R⁵ and R⁷ taken together form a bond; or

R⁶ and R⁷ taken together are selected from the group of methylidene, mono-substituted methylidene, di-substituted methylidene and carbonyl;

R⁸ through R¹⁰ each independently is selected from the group of hydrogen, F, Cl, Br, I, NO₂, CN, OR¹¹, NR¹¹R¹², SR¹¹, COR¹¹, CO₂R¹¹, CONR¹¹R¹², C₁-C₈ alkyl, C₁-C₈ heteroalkyi, C₁-C₈ haloalkyi, allyl, C₂-C₈ alkenyi and C₂-C₈ alkynyi;

R¹¹ and R¹² each is independently selected from the group of hydrogen, C₁-C₄ alkyl, C₁- C₄ heteroalkyl, and C₁-C₄ haloalkyl;

R¹³ is hydrogen;

R¹⁴, R¹⁵, R¹⁸, R¹⁹, R²⁰ each independently is selected from the group of hydrogen, F, Cl, C_1 - C_4 alkyl, and C_1 - C_4 haloalkyl;

R¹⁶ and R¹⁷ taken together are selected from the group of methylidene, mono-substituted methylidene, and di-substituted methylidene;

R21 is hydrogen; or

R²¹ and R²⁰ taken together form a bond;

n is 0, 1, 2, or 3;

or a pharmaceutically acceptable salt thereof.

PATENT NO.

: 7,071,205 B2

Page 4 of 10

APPLICATION NO.: 10/684229

DATED INVENTOR(S) : July 4, 2006 : Lin Zhi et al.

it is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 42

14. A compound of the formula:

wherein:

R¹ is selected from the group of hydrogen, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₁-C₄ heteroalkyl, COR¹¹, CO₂R¹¹, SO₂R¹¹, and CONR¹¹R¹²;

R² and R³ each independently is selected from the group of hydrogen, C₁-C₆ alkyl, and C1-C6 haloalkyl; or

R² and R³ taken together form a cycloalkyl ring of from three to twelve carbons;

R4 through R7 each independently is selected from the group of hydrogen, F, Cl, Br, CN, OR11, C1-C4 alkyl, C1-C4 haloalkyl, and C1-C4 heteroalkyl; or

R5 and R7 taken together form a bond; or

R⁶ and R⁷ taken together are selected from the group of methylidene, mono-substituted methylidene, di-substituted methylidene and carbonyl;

R⁸ through R¹⁰ each independently is selected from the group of hydrogen, F, Cl, Br, I, NO₂, CN, OR¹¹, NR¹¹R¹², SR¹¹, COR¹¹, CO₂R¹¹, CONR¹¹R¹², C₁-C₈ alkyl, C₁-C₈ heteroalkyl, C1-C8 haloalkyl, allyl, C2-C8 alkenyl and C2-C8 alkynyl;

PATENT NO.

: 7.071205 B2

Page 5 of 10

APPLICATION NO. : 10/684229 DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

R11 and R12 each is independently selected from the group of hydrogen, C1-C4 alkyl, C1-C₄ heteroalkyl, and C₁-C₄ haloalkyl;

R¹³ is hydrogen;

R¹⁴, R¹³, R¹⁷, R²⁰ each independently is selected from the group of hydrogen, F, Cl, C₁-

C4 alkyl, and C1-C4 haloalkyl;

R¹⁶ and R¹⁸ taken together form a bond when n is 1;

R¹⁶ and R¹⁹ taken together form a bond when n is 0;

R²¹ is hydrogen; and

n is 0, 1, 2, or 3;

or a pharmaceutically acceptable salt thereof.

Col. 42-45

15. A Compound selected from the group of:

(±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 24);

(±)-(51,1°u)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5H-

chromeno[3,4-f]quinoline (compound 25);

(+)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 27);

(-)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 28);

(±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-hydroxy-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 29);

PATENT NO.

: 7.071,205 B2

Page 6 of 10

APPLICATION NO.: 10/684229 DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi et al.

- (±)-(51,1'u)-5-(3-methyl-2-cyclohexenyl)-9-hydroxy-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 30);
- (+)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-hydroxy-1,2-dihydro-2,2,4-trimethyl-5Hcbromeno[3,4-fjquinoline (compound 32);
- (-)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-hydroxy-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-fiquinoline (compound 33);
- (±)-(51,1'1)-5-3-methy1-2-cyclohexeny1)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 34);
- (\pm) -(51,1'u)-5-(3-methyl-2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 35);
- (+)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 37);
- (-)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 38);
- (±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-methoxy-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 39);
- (±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2-dimethyl-5Hchromeno[3,4-f]quinoline (compound 41);
- (±)-(51,1'u)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2-dimethyl-5Hchromeno[3,4-f]quinoline (compound 42);
- (±)-(51,1'1)-5-(3-methy1-2-cyclopenteny1)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 44);
- (±)-(51,1'u)-5-(3-methyl-2-cyclopentenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethy-5Hchromeno[3,4-f]quinoline (compound 45);

FISH AND RICHARDSON

PATENT NO.

: 7,071,205 B2

Page 7 of 10

APPLICATION NO.: 10/684229 DATED

: July 4, 2006

INVENTOR(S)

: Lin Zhi et al. .

- (±)-(51,1'1)-5-(3,5,5-trimethyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 47);
- (±)-(51,1'u)-5-(3,5,5-trimethyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 48);
- (±)-(51,1'1)-5-(3-methyl-2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 50);
- (±)-(51,1'u)-5-(3-methyl-2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 51);
- (±)-5-(3-methyl-3-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 52);
- (±)-5-(2-cyclopenta-1,3-dienyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4flquinoline (compound 53);
- (±)-(51,1'1)-5-(3-ethy1-2-cyclohexeny1)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 55);
- (±)-(51,1'u)-5-(3-ethyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 56);
- (±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-7-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 58);
- (±)-(51,1'u)-5-(3-methy1-2-cyclohexeny1)-7-fluoro-1,2-dihydro-2,2,4-trimethy1-5Hchromeno[3,4-f]quinoline (compound 59);
- (±)-(51,1'1)-5-(3-ethyl-2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 61);
- (±)-(51,1'1)-5-(3-ethylidenecyclohexyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 62);

PATENT NO.

: 7,071,205 B2

Page 8 of 10

APPLICATION NO.: 10/684229 DATED

: July 4, 2006

INVENTOR(S)

; Lin Zhi ct al.

- (±)-(51,1'1)-5-(3-methyl-3-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 63);
- (±)-(51,1'1)-5-(3-methyl-2-cyclobexenyl)-9-fluoro-1,2-dihydro-8-methoxy-2,2,4trimethyl-5H-chromeno[3,4-f]quinoline (compound 64);
- (\pm) -(51,1'u)-5-(3-methyl-2-cyclohexenyl)-9-fluoro-1,2-dihydro-8-methoxy-2,2,4trimethyl-5H-chromeno[3,4-f]quinoline (compound 65);
- (\pm) -(51,1'1)-5-(2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 67);
- (±)-(51,1'u)-5-(2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 68);
- (±)-5-(1-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4f]quinoline (compound 69);
- (±)-(51,1'1)-5-(2,3-dimethyl-2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (compound 71); コ Cyclopenteny/
- (+)-(51,1'1)-5-(2,3-dimethyl-2@yclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (compound 73);
- (-)-(51,1'1)-5-(2,3-dimethyl-2-cyclopentenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (compound 74);
- (±)-(51,1'1)-5-(2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 75);
- (±)-(51,1'u)-5-(2-cyclohexenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 76);
- (±)-(51,1'1)-5-(2-cyclohexenyl)-7,9-difluoro-1,2,3,4-tetrahydro-2,2-dimethyl-4methylidene-5H-chromeno[3,4-f]quinoline (compound 77);

PATENT NO.

: 7,071,205 B2

Page 9 of 10

APPLICATION NO. : 10/684229

DATED INVENTOR(S) : July 4, 2006

: Lin Zhi et al.

- (±)-(51,1'1)-5-(2-methylidenecyclohexyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 79);
- (±)-(51,1'u)-5-(2-methylidenecyclohexyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 80);
- (±)-(51,1'1)-5-(2-oxocyclohexyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4flquinoline (compound 81);
- (±)-(51,1'u)-5-(2-oxocyclohexyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4f]quinoline (compound 82);
- (±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-9-methoxy-1,2-dihydro-1,2,2,4-tetramethyl-5Hchromeno[3,4-f]quinoline (compound 83);
- (±)-5-(2-cyclohexenyl)-9-fluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (compound 84); diffuoro
- (\pm) -(51,1'1)-5-(2,3-dimethyl-2-cyclohexenyl)-7,9(difiuoro)1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (compound 85);
- (±)-5-(3-methylidene cyclohexyl)-7,9-diffuoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 87); = cyclohexyl
- (±)-(51,1'u)-5-(3-ethylidenecyclohexyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (compound 88);
- (±)-(51,1'1)-5-(2-cyclohepteny1)-7,9-diffuoro-1,2-dihydro-2,2,4-trimethy1-5Hchromeno[3,4-f]quinoline (Compound 89);
- (±)-(51,1'1)-5-(2-cyclooctenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (Compound 91);
- (±)-(51,1'u)-5-(2-cyclooctenyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5Hchromeno[3,4-f]quinoline (Compound 92);

PATENT NO.

: 7,071,205 B2

Page 10 of 10

APPLICATION NO.: 10/684229

DATED INVENTOR(S)

: July 4, 2006 : Lin Zhi et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(±)-(51,1'1)-5-(2,3-epoxy-3-methylcyclohexyl)-7,9-difluoro-1,2-dihydro-2,2,4-trimethyl-5H-chromeno[3,4-f]quinoline (Compound 94);

(±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-7,9-difluoro-1,2,3,4-tetrahydro-2,2-dimethyl-4methylene-5H-chromeno[3,4-f]quinolin-3-ol (Compound 95);

(±)-(51,1'1)-5-(2,3-epoxy-2,3-dimethylcyclopentyl)-7,9-difluoro-1,2-dihydro-2,2,4trimethyl-5H-chromeno[3,4-f]quinoline (Compound 96);

(±)-(51,1'u)-5-(2,3-epoxy-3-methylcyclohexyl)-7,9-difluoro-1,2-dihydro-2,2,4trimethy1-5H-chromeno[3,4-f]quinoline (Compound 97); and

(±)-(51,1'1)-5-(3-methyl-2-cyclohexenyl)-7,9-difluoro-1,2,3,4-tetrahydro-2,2-dimethyl-5H-chromeno[3,4-f]quinolin-4-one (Compound 98).

Signed and Sealed this

Twenty-eighth Day of November, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Delegis in the images include but are not limited to the items checked:	
	BLACK BORDERS
	\square image cut off at top, bottom or sides
	☐ FADED TEXT OR DRAWING
	☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
	☐ SKEWED/SLANTED IMAGES
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
	☐ GRAY SCALE DOCUMENTS
	☐ LINES OR MARKS ON ORIGINAL DOCUMENT
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
	□ OTHER•

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.